

Enabling Dark Features

Enabling Dark Features

Prompt

Using a hidden administrative interface to turn dark features on and off

Outcome

[Dark features](#) are hidden (though accessible) because changing them may result in major disruptions to the Confluence environment. However, there may be scenarios where one or more of these options should be disabled or enabled. Typically, this is only done by request from Atlassian, maker of Confluence, during troubleshooting, compatibility testing, or for re-enabling a legacy option. Only a [System Administrator](#) can enable or disable dark features.

Steps

Determine if you have System Administrator privileges

In order to access and change dark features, you must be a [System Administrator](#).

Visit the special dark features URL

Enter the following URL postfix into your browser window:

<your [Confluence base URL](#)>/admin/darkfeatures.action

For example (on a locally-running Confluence instance), the full URL is:

<http://localhost:8090/admin/darkfeatures.action>

Disable or enable a dark feature

There are two lists of dark features: *System Property Dark Features* and *Site Dark Features*. In order to change the former, you must restart the server with or without one of the features using a special command (beyond the purview of this How-To entry).

To change a *Site Dark Feature*, you must either click the "remove" button (to disable) or manually type a dark feature property name into the text box (to enable).

Note

Tip

Warning



Enabling or disabling Dark Features may cause unexpected and severe changes to your Confluence Environment. Atlassian further warns: "**You should be very careful with these features and should change them only when you are explicitly asked by Atlassian support.**"

Info

Related

- [Installing and Configuring Confluence](#)
- [Setting Global Site Permissions ORIGINAL](#)