

# Linking a Blueprint to a Workflow

Requires

BLUEPRINT MAKER

CONTENT FLOW

# Linking a Blueprint to a Workflow

## Prompt

Automatically launch a given workflow on a new page created from a blueprint.

## Outcome

With [Blueprint Maker](#) and [Content Flow](#) both installed, you can associate a particular [Page Blueprint](#) to a given [Workflow](#). This means you can rapidly get a page created and into a publishing process in a matter of clicks.

## Steps

### Create your Page Blueprint

Learn about [creating a Page Blueprint](#).

### Create your Workflow

Learn about [Creating a Workflow](#). This can be a global workflow or a space-specific workflow. If space-specific, then note that the workflow will only be associated with the pages created in this space.

### Note the Workflow ID

The Workflow ID is displayed in the space workflows or global workflows table.

The screenshot shows the Confluence interface for a space named 'VANILLA'. The 'Available Workflows In Space' table is displayed. The first workflow is 'Article Review Workflow' with ID '3'. The ID '3' is circled in red, and a red arrow points to it from the right. The table has columns: Name, ID, Type, Visibility, Removable By, Entry Page Status, Labels, and Reviewers. The workflow is currently in 'Draft' status.

Name	ID	Type	Visibility	Removable By	Entry Page Status	Labels	Reviewers
Article Review Workflow	3	Publishing	This Space	admin	Draft		Draft In F

### Access your Blueprint JSON Definition

Read more about [Accessing and Editing the JSON File](#).

### Add the "workflowId" attribute to the JSON

Add a new line to your Page Blueprint object definition as follows:

```
"pageBlueprints" : [
  {
    "name" : "Employee Page",
    "spaceKey" : "BLUEPRINTS",
    "pageTitle" : "[[employee-name]]",
    "blueprintFields" : [ "employee-name", "title", "location-timezone", "office-
number", "email", "employee-image" ],
    "description" : "Generate an employee page for the directory space.",
    "workflowId" : 3
  }
]
```

Please note that the Workflow ID itself is not enclosed in quotation marks. You may only associate a Page Blueprint to one Workflow.

Re-Upload your JSON to the [Blueprint Definition Page](#)

That's it!

You may now try out your Blueprint and Workflow association by creating a page from this blueprint.

Note

Tip

Warning

Info

Related

- [Creating a Page Blueprint](#)
- [Accessing and Editing the JSON File](#)
- [Creating a Workflow](#)
- [Editing a Workflow](#)